AUTHOR INDEX

Aernoudt, E.: See Ducheyne, P.
Anusavice, K. J., Ringle, R. D., and Fairhurst, C. W.: Bonding Mechanism Evidence in a Ceramic–Nonprecious Alloy System, 701
Arcan, M.: See Laor, M.

Bagnall, R. D.: Adsorption of Plasma Proteins on Hydrophobic Surfaces. I. Albumin and γ-Globulin, 947
——: An Approach to the Soft Tissue/Synthetic Material Interface, 939
Bantjes, A.: See Marck, K. W.
Bayne, S. C., Lautenschlager, E. P., Greener, E. H., and Meyer, P. R., Jr.: Clinical Influences on Bone Cement Monomer Release, 859
Bernath, F. R.: See Olanoff, L. S.
Bernstein, J. J.: See Johnson, P. F.
Better, O. S.: See Moise, O.
Bharadwaj, B.: See Kay, W. W.
Binnington, A. G.: See Fernie, G. R.
Boffa, G. A., Lucien, N., Faure, A., Boffa, M. C., Jozefonvicz, J., Szubarga, A., Mandon, P., and Larrieu, M. J.: Polytetraflouroethlene–*N*-Vinylpyrrolidone Graft Copolymers: Affinity with Plasma Proteins, 317
Boffa, M. C.: See Boffa, G. A.
——: See Labarre, D.
Brady, J. M.: See Miller, R. A.
Brauer, G. M., Termini, D. J., and Dickson, G.: Analysis of the Ingredients and Determination of the Residual Components of Acrylic Bone Cements, 577
Bruck, S. D.: Interactions of Synthetic and Natural Surfaces with Blood in the Physiological Environment, 1
Buscemi, P. J.: See Hench, L. L.

Cameron, H. U., Macnab, I., and Pilliar, R. M.: Evaluation of a Biodegradable Ceramic, 179
Cannon, S. L.: See Freitag, T. A.
Cappozzo, A., Cini, L., Pizzoferrato, A., Trentani, C., and Cortesi, S. S.: Evaluation of Hip Arthoprostheses by Means of Body Environment Simulators, 657
Carr, S. H.: See Stupp, S. I.
Carwile, A. C.: See Johnson, L. B.
Chazov, E. I.: See Torchilin, V. P.
Chiroff, R. T., White, R. A., White, E. W., Weber, J. N., and Roy, D.: The Restoration of Artificial Surfaces Overlying Replamine-form Porous Biomaterials, 165
Chiu, T.-H.: See Nyilas, E.
Chong, G.: See Kay, W. W.
Chvapil, M.: Collagen Sponge: Theory and Practice of Medical Applications, 721
——, Owen, J. A., Clark, D. S., Koorajian, S., and Goodman, A. P.: Effect of Collagen Crosslinking on the Rate of Resorption of Implanted Collagen Tubing in Rabbits, 297
Cini, L.: See Cappozzo, A.
Cigada, A., Mazza, B., Pedeferri, P., and Sinigaglia, D.: Influence of Cold Plastic Deformation on Critical Pitting Potential of AISI 316 L and 304 L Steels in an Artificial Physiological Solution Simulating the Aggressiveness of the Human Body, 503
Clark, D. S.: See Chvapil, M.
Cortesi, S. S.: See Cappozzo, A.
Craig, R. G.: See Roberts, J. C.
Cumming, R. D.: See Nyilas, E.
Cutright, D. E.: See Miller, R. A.

Dawson, W. W.: See Johnson, P. F.
De Meester, P.: See Ducheyne, P.
Dickson, G.: See Brauer, G. M.

Dobelle, W. H.: See Klomp, G. F.
Doerre, E.: See Semlitsch, M.
Dressler, D. P.: See Schwope, A. D.
Ducheyne, P., De Meester, P., Aernoudt, E., Martens, M., and Mulier, J. C.: Influence of a Functional Dynamic Loading on Bone Ingrowth into Surface Pores of Orthopedic Implants, 811

Fairhurst, C. W.: See Anusavice, K. J.
Faure, A.: See Boffa, G. A.
Feijen, J.: See Marck, K. W.
Fernie, G. R., Kostuik, J. P., Lobb, R. J., Pilliar, R. M., Wong, E., and Binnington, A. G.: A Percutaneous Implant Using a Porous Metal Surface Coating for Adhesion to Bone and a Velour Covering for Soft Tissue Attachment: Results of Trials in Pigs, 883
Freitag, T. A., and Cannon, S. L.: Fracture Characteristics of Acrylic Bone Cements. II. Fatigue, 609

Gedalia, I.: See Laor, M.
Goodman, A. P.: See Chvapil, M.
Grant, W. H., Smith, L. E., and Stromberg, R. R.: Radiotracer Techniques for Protein Adsorption Measurements, 33
Graydon, W. F.: See Mollison, A. N.
Greener, E. H.: See Bayne, S. C.
Greenspan, D. C.: See Hench, L. L.

Hane, Y.: See Miura, Y.
Harumiya, N.: See Miyama, H.
Hayata, S.: See Nakabayashi, N.
Hench, L. L., Pantano, C. G., Jr., Buscemi, P. J., and Greenspan, D. C.: Analysis of Bioglass Fixation of Hip Protheses, 267
——: See Johnson, P. F.
Hodosh, M., Shklar, G., and Povar, M.: A Polymethacrylate–Silica Composite Material for Dental Implants, 893
Hoffer, E.: See Moise, O.
Hoffman, A. S.: See Venkataraman, S.
Holmes, R. E.: See Salyer, K. E.
Horbett, T. A.: See Venkataraman, S.
Huang, C., and Yannas, I. V.: Mechanochemical Studies of Enzymatic Degradation of Insoluble Collagen Fibers, 137
Hunter, G.: See Johnson, P. F.

Jaffe, W. L.: See Pugh, J. W.
Jensen, S. J.: See Vrijhoef, M. M. A.
Johns, D. F.: See Salyer, K. E.
Johnson, L. B., and Carwile, A. C.: Progress in Splat-Cooling of Dental Alloys, 483
Johnson, P. F., Bernstein, J. J., Hunter, G., Dawson, W. W., and Hench, L. L.: An *in vitro* and *in vivo* Analysis of Anodized Tantalum Capacitive Electrodes: Corrosion Response, Physiology, and Histology, 637
Johnson, R. A.: See Rijke, A. M.
Joyeuse, R.: See Olanoff, L. S.
Jozefonvicz, J.: See Boffa, G. A.
Jozefowicz, M.: See Labarre, D.

Kaminski, E. J., Shenk, M. W., and Oglesby, R. J.: Presence of Adipose Fat as a Criterion of Implant Compatibility, 871
Kauffman, J. W.: See Stupp, S. I.
Kay, W. W., Kurylo, E., Chong, G., and Bharadwaj, B.: Inhibition and Enhancement of Platelet Aggregation by Collagen Derivatives, 365
Kerényi, G.: See Tapasztó, I.
Kim, S. W., Wisniewski, S., Lee, E. S., and Winn, M. L.: Role of Protein and Fatty Acid Adsorption on Platelet Adhesion and Aggregation at the Blood–Polymer Interface, 23
Kiraly, R. J.: See Nosé, Y.
Klomp, G. F., Womack, M. V. B., and Dobelle, W. H.: Fabrication of Large Arrays of Corticial Electrodes for Use in Man, 347
Kmetzo, J. J., Stein, T. P., and Wallace, H. W.: Human Platlet and Fluorochemical Interaction, 847

Koh, J.: See Pollack, S. R.
Kolobow, T., Tomlinson, T. A., and Pierce, J. E.: Blood Compatability of Methyl, Methyl Vinyl, Methyl Phenyl, and Trifluoropropylmethylvinyl Silicone Rubber without Silica Fillers in the Spiral-Coiled Membrane Lung, 471
Komoto, Y.: See Nakashima, T.
Koningsmark, B. W.: See Loeb, G. E.
Koorajian, S.: See Chvapil, M.
Korostoff, E.: See Pollack, S. R.
Kostuik, J. P.: See Fernie, G. R.
Kronick, P. L., and Rembaum, A.: Reactions of Human Platelets with Microspheres of Poly(hydroxymethyl Methacrylate) and Polyacrylamide, 39
Kurylo, E.: See Kay, W. W.

Labarre, D., Jozefowicz, M., and Boffa, M. C.: Properties of Heparin–Poly(methyl Methacrylate) Copolymers. II., 283
Laor, M., Gedalia, I., Simkin, A., Yosipovitch, Z., and Arcan, M.: Effect of Flouride on the Stabilization of Metal Implants in the Femur of Rabbits, 187
Larrieu, M. J.: See Boffa, G. A.
Lautenschlager, E. P.: See Bayne, S. C.
Layton, J. G.: See Salyer, K. E.
Lederman, D. M.: See Nyilas, E.
Lee, E. S.: See Kim, S. W.
Lee, H. B., and Turner, D. T.: Temperature Control of a Bone Cement by Addition of a Crystalline Monomer, 671
Lehmann, M.: See Semlitsch, M.
Levine, D. L., and Staehle, R. W.: Crevice Corrosion in Orthopedic Implant Metals, 553
Lewis, A. J.: Porosity in the Base Metal Removable Partial Denture Casting Alloys Relative to Observable Metallographic Features, 447
Lobb, R. J.: See Fernie, G. R.
Loeb, G. E., Walker, A. E., Uematsu, S., and Kongingsmark, B. W.: Histological Reaction to Various Conductive and Dielectric Films Chronically Implanted in the Subdural Space, 195
Lucien, N.: See Boffa, G. A.

Macnab, I.: See Cameron, H. U.
Mandon, P.: See Boffa, G. A.
Marck, K. W., Wildevuur, Ch. 1 R. H., Sederel, W. L. Bantjes, A., and Feijen, J.: Biodegradability and Tissue Reaction of Random Copolymers of L-Leucine, L-Aspartic Acid, and L-Aspartic Acid Esters, 405
Martens, M.: See Ducheyne, P.
Masuhara, E.: See Nakabayashi, N.
Mazza, B.: See Cigada, A.
McCoy, S.: See Rijke, A. M.
McLaughlin, R. E.: See Rijke, A. M.
Merrill, E. W.: See Peppas, N. A.
Meyer, P. R.: See Bayne, S. C.
Miller, R. A., Brady, J. M., and Cutright, D. E.: Degradation Rates of Oral Resorbable Implants (Polyactates and Polyglycolates): Rate Modification with Changes in PLA/PGA Copolymers Ratios, 711
Miura, Y., Miyamoto, K., Raze, J. M., and Urabe, H.: Immobilization of Urea Cycle Enzymes. I. Characterization of Immobilized Carbamoylphosphate Synthetase and Ornithine Carbamoyltransferase, 743
——, ——, Urabe, H., Nagata, C., and Hane, Y.: Immobilization of Urea Cycle Enzymes. II. Characterization of Immobilized Argininosuccinate Synthetase, 755
Miyama, H., Harumiya, N., Mori, Y., and Tanzawa, H.: A New Antithrombogenic Heparinized Polymer, 251
Miyamoto, K.: See Miura, Y.
Moise, O., Sideman, S., Hoffer, E., Rousseau, I., and Better, O. S.: Membrane Permeability for Inorganic Phosphate Ion, 903
Mollison, A. N., and Graydon, W. F.: Cellulosic Ion-Exchange Membranes for Hemodialysis, 563

Mori, Y.: See Miyama, H.
Morton, W. A.: See Nyilas, E.
Mulier, J. C.: See Ducheyne, P.

Nagata, C.: See Miura, Y.
Nakabayashi, N., Hayata, S., and Masuhara, E.: Studies on Dental Self-Curing Resins. XV. Application of Nitrene to Reactive Adhesive with a Tooth, 395
Nakashima, T., Takakura, K., and Komoto, Y.: Thromboresistance of Graft-Type Copolymers with Hydrophilic–Hydrophobic Microphase-Separated Structure, 787
Newman, M. M.: See Predecki, P.
Nosé, Y., Kiraly, R. J., and Picha, G.: Surface Characteristics of Cardiac Prostheses *in vivo*, 85
Nyilas, E., Morton, W. A., Cumming, R. D., Lederman, D. M., and Chiu, T.-H.: Effects of Polymer Surface Molecular Structure And Force-Field Characteristics on Blood Interfacial Phenomena. I., 51
——, and Ward, R. S., Jr.: Development of Blood-Compatible Elastomers. V. Surface Structure and Blood Compadibility of Avcothane Elastomers, 69

Oglesby, R. J.: See Kaminski, E. J.
Olanoff, L. S., Venkatasubramanian, K., Bernath, F. R., and Joyeuse, R.: Perfusion Trails with a Collagen-Immobilized Enzyme in an Extracorporeal Reactor: Activity, Stability, and Biocompatibility, 125
Oser, E. R.: See Rijke, A. M.
Owen, J. A.: See Chvapil, M.

Pantano, C. G., Jr.: See Hench, L. L.
Peppas, N. A., and Merrill, E. W.: Development of Semicrystalline Poly(vinyl Alcohol) Hydrogels for Biomedical Applications, 423
Pedeferri, P.: See Cigada, A.
Picha, G.: See Nosé, Y.
Pierce, J. E.: See Kolobow, T.
Pilliar, R. M.: See Cameron, H. U.
——: See Fernie, G. R.
Pizzoferrato, A.: See Cappozzo, A.
Pollack, S. R., Korostoff, E., Sternberg, M. E., and Koh, J.: Stress-Generated Potentials in Bone: Effects of Collagen Modifications, 677
Povar, M.: See Hodosh, M.
Powers, J. M.: See Roberts, J. C.
——: See Rootare, H. M.
Predecki, P., Russell, P. A., and Newman, M. M.: Blood-Compatible Materials by Fluid Perfusion, 767
Pugh, J. W., and Jaffe, W. L.: Clinically Observed Corrosion of Surface Defects of Wires, 625

Rae, T.: Tolerance of Mouse Macrophages *in vitro* to Barium Sulfate used in Orthopedic Bone Cement, 839
Rajaraman, R.: See Rembaum, A.
Raze, J. M.: See Miura, Y.
Rembaum, A., Senyei, A. E., and Rajaraman, R.: Interaction of Living Cells with Polyionenes and Polyionene-Coated Surfaces, 101
Rembaum, A.: See Kronick, P. L.
Reynolds, C. L., Jr., and Wawner, F. E.: Experimental Observations of the Corrosion of Ag_3Sn Amalgams, 629
Rieger, M. R.: See Rijke, A. M.
Rijke, A. M., Johnson, R. A., and Oser, E. R.: O the Fate of Methyl Methacrylate in Blood, 211
Rijke, A. M., Rieger, M. R., McLaughlin, R. E., and McCoy, S.: Porous Acrylic Cement, 373
Ringle, R. D.: See Anusavice, K. J.
Roberts, J. C., Powers, J. M., and Craig, R. G.: Wear of Dental Amalgam, 513
Robertson, C. R.: See Watkins, R. W.
Rousseau, I.: See Moise, O.
Rootare, H. M., and Powers, J. M.: Preparation of Ag/AgCl Electrodes, 633
Roy, D.: See Chiroff, J. N.
Russell, P. A.: See Predecki, P.

Salyer, K. E., Johns, D. F., Holmes, R. E., and Layton, G.: Evolution of the Mandibular Mesh Implant, 461

Schwope, A. D., Wise, D. L., Sell, K. W., Dressler, D. P., and Skornick, W. A.: Evaluation of Wound-Covering Materials, 489
Sederel, W. L.: See Marck, K. W.
Sell, K. W.: See Schwope, A. D.
Semlitsch, M., Lehmann, M., Weber, H., Doerre, E., and Willert, H. G.: New Prospects for a Prolonged Functional Life-Span of Artificial Hip Joints by Using the Material Combination Polyethlene/Aluminum Oxide Ceramic/Metal, 537
——: See Willert, H. G.
Senyei, A. E.: See Rembaum, A.
Shenk, M. W.: See Kaminski, E. J.
Shim, H. S.: The Strength of LTI Carbon Dental Implants, 435
Shklar, G.: See Hodosh, M.
Sideman, S.: See Moise, O.
Simkin, A.: See Laor, M.
Sinigaglia, D.: See Cigada, A.
Skornick, W. A.: See Schwope, A. D.
Smirnov, V. N.: See Torchilin, V. P.
Smith, L. E.: See Grant, W. H.
Staehle, R. W.: See Levine, D. L.
Stein, T. P.: See Kmetzo, J. J.
Sternberg, M. E.: See Pollack, S. R.
Stromberg, R. R.: See Grant, W. H.
Stupp, S. I., Kauffman, J. W., and Carr, S. H.: Interactions between Segmented Polyurethane Surfaces and the Plasma Protein Fibrinogen, 237
Szubarga, A.: See Boffa, G. A.

Takakura, K.: See Nakashima, T.
Tanzawa, H.: See Miyama, H.
Tapasztó, I. and Kerényi, G.: Skin Replacement with Bioplast Fibrin in Opthalmology, 799
Termini, D. J.: See Brauer, G. M.
Tischenko, E. G.: See Torchilin, V. P.
Tomlinson, T.: See Kolobow, T.
Torchilin, V. P., Tischenko, E. G., Smirnov, V. N., and Chazov, E. I.: Immobilization of Enzymes on Slowly Soluble Carriers, 223
Trentani, C.: See Cappozzo, A.
Turner, D. T.: See Lee, H. B.

Uematsu, S.: See Loeb, G. E.
Urabe, H.: See Miura, Y.

Venkataraman, S., Horbett, T. A., and Hoffman, A. S.: The Reactivity of α-Chymotrypsin Immobilized on Radiation-Grafted Hydrogel Surfaces, 111
Venkatasubramanian, K.: See Olanoff, L. S.
Vrijhoef, M. M. A., and Jensen, S. J.: Influence of the Heat Treatment of Commercial Amalgam Alloys on the Phase Composition of the Alloys and the Creep of the Resulting Amalagams, 339

Wallace, H. W.: See Kmetzo, J. J.
Walker, A. E.: See Loeb, G. E.
Ward, R. S., Jr.: See Nyilas, E.
Watkins, R. W., and Robertson, C. R.: A Total Internal-Reflection Technique for the Examination of Protein Adsorption, 915
Wawner, F. E.: See Reynolds, C. L., Jr.
Weber, H.: See Semlitsch, M.
Weber, J. N.: See Chiroff, R. T.
Wedler, F. C.: Analysis of Biomaterials Deposited on Soft Contact Lenses, 525
White, E. W.: See Chiroff, R. T.
White, R. A.: See Chiroff, R. T.
Wildevuur, Ch. 1 R. H.: See Marck, K. W.
Willert, H. G., and Semlitsch, M.: Reactions of the Articular Capsule to Wear Products of Artificial Joint Protheses, 157
——: See Semlitsch, M.
Winn, M. L.: See Kim, S. W.
Wise, D. L.: See Schwope, A. D.
Wisniewski, S.: See Kim, S. W.
Womack, M. V. B.: See Klomp, G. F.
Wong, E.: See Fernie, G. R.

Yannas, I. V.: See Huang, C.
Yosipovitch, Z.: See Laor, M.

SUBJECT INDEX

Acrylic bone cement, fracture characteristics of, 609
——, residual components of, 577
Acrylic cement, porous, 373
Ag/AgCl electrodes, 633
Ag_3Sn amalgams, corrosion of, 629
Albumin, 947
Alloys, dental, splat-cooling of, 483
Amalgam alloys, influence of heat treatment on, 339
Anodized tantalum capacitive electrodes, 637
Antithrombogenic heparinized polymer, 251
Argininosuccinate synthetase, immobilized, 755
Articular capsule, reactions of, to wear products of artificial joint prostheses, 157
Artificial hip joints, 537
Artificial joint prostheses, reactions of articular capsule to wear products of, 157
L-Aspartic acid, 405
L-Aspartic acid esters, 405
Avcothane elastomers, surface structure and blood compatibility of, 69

Bioglass fixation of hip prostheses, 267
Bioplast fibrin, skin replacement with, 799
Blood, interactions of synthetic and natural surfaces with, 1
——, methyl methacrylate in, 211
Blood-compatibile materials, 767
Blood interfacial phenomena, 51
Bone cement monomer release, clinical influence on, 859
Bone cement, temperature control of, 671
Bone ingrowth, functional dynamic loading on, 811
Bones, stress-generated potentials in, 677

Carbamoylphosphate synthetase, immobilized, 743
Cardiac prostheses, surface characteristics of, 85
Cellulosic ion-exchange membranes for hemodialysis, 563
Ceramic, biodegradable, evolution of, 179
Ceramic–nonprecious alloy system, bonding mechanism in, 701
α-Chymotrypsin, reactivity of, immobilized on radiation-grafted hydrogel surfaces, 111
Collagen crosslinking on resorption rate of implanted collagen tubing, 297
Collagen derivatives, inhibition and enhancement of platelet aggregation by, 365
Collagen-immobilized enzyme, use in extracorporeal reactor, 125
Collagen sponge, 721
Conductive films, histological reaction to, 195
Contact lenses, soft, analysis of biomaterials deposited on, 525
Copolymer of L-leucine, L-aspartic acid, and L-aspartic acid esters, biodegradability and tissue reaction of, 405
Corrosion, of Ag_3Sn amalgams, 629
——, of stainless steels in artificial physiological solutions, 503
——, of surface defects of wires, 625
Cortical electrodes, fabrication of large arrays of, 347

Crevice corrosion in orthopedic implant metals, 553

Dental alloys, splat-cooling of, 483
Dental amalgam, wear of, 513
Dental casting alloys, porosity in base metal, 447
Dielectric films, histological reaction to, 195

Elastomers, Avcothane, 69
——, blood-compatible, 69
Electrode, anodized tantalum, 637
——, fabrication of cortical, 347
Enzymes, immobilization of, on slowly soluble carriers, 223
Extracorporeal reactor, use of collagen-immobilized enzyme with, 125

Fluoride, effect of, on stabilization of metal implants, 187
Fluorochemical interaction, human platelet and, 847

γ-Globulin, 947

Hemodialysis, cellulosic ion-exchange membranes for, 563
Heparin–poly(methyl methacrylate) copolymers, 283
Hip arthroprostheses, evaluation of, 657
Hip joints, artificial, 537
Hip prostheses, bioglass fixation of, 267
Hydrophilic–hydrophobic microphase-separated structure, thromboresistance of graft-type copolymers with, 787

Immobilized argininosuccinate synthetase, 755
Immobilized carbamoylphosphate synthetase, 743
Immobilized ornithine carbamoyltransferase, 743
Implant compatibility, adipose fat presence as a criterion of, 871
Implants, dental, polymethacrylate–silica for, 893
Implants, metal, effect of fluoride on stabilization of, 187
Implants, oral, resorbable degradation rates of (polyacetates and polyglycolates), 711
Implants, orthopedic, functional dynamic loading on bone ingrowth, 811
Implant, percutaneous, 883
Inorganic phosphate ion, membrane permeability for, 903
Insoluble collagen fibers, mechanochemical studies of enzymatic degradation of, 137

L-Leucine, 405
LTI carbon dental implants, strength of, 435

Macrophage, mouse, tolerance to barium sulfate in bone cement, 839
Mandibular mesh implant, evolution of, 461
Membrane permeability for inorganic phosphate ion, 903
Methyl methacrylate, 211

Ophthalmology, skin replacement with bioplast fibrin in, 799
Oral resorbable implants, degradation rates of, 711
Ornithine carbamoyltransferase, immobilized, 743
Orthopedic implants, functional dynamic loading in bone ingrowth, 811
Orthopedic implant, metal, crevice corrosion in, 553

Percutaneous implants using porous metal surface coating, 883
PLA/PGA copolymer ratios, rate modification with changes in, 711
Plasma protein fibrinogen, interactions between segmented polyurethane surfaces, 237
Plasma proteins, adsorption on hydrophobic surfaces, 947

——, affinity with polytetrafluoroethylene–*N*-vinylpyrrolidone graft copolymers, 317
Platelet, human, and fluorochemical interaction, 847
——, reactions with microspheres of poly(hydroxymethyl methacrylate) and polyacrylamide, 39
Platelet adhesion and aggregation at blood–polymer interface, 23
Platelet aggregation by collagen derivatives, inhibition and enhancement of, 365
Polyacrylamide, 39
Polyglycolates, 711
Poly(hydroxymethyl methacrylate), 39
Polyionene-coated surfaces, interaction of living cells with, 101
Polyionenes, interactions of living cells with, 101
Polylactates, 711
Polytetrafluoroethylene–*N*-vinylpyrrolidone graft copolymers, affinity with plasma protein, 317
Polyurethane-segmented surfaces and interactions with plasma protein fibrinogen, 237
Poly(vinyl alcohol) hydrogels, 423
Protein adsorption measurements, 33

Radiotracer technique for protein adsorption measurements, 33
Replamineform porous biomaterials, restoration of articular surfaces, 165

Self-curing dental resins, application of nitrene to reactive adhesive with tooth, 395
Silicone rubbers, blood compatibility of, 471
Splat-cooling of dental alloys, 483
Stabilization of metal implants, effect of fluoride on, 187
Stainless steel, corrosion in artificial physiological solutions, 504

Thromboresistance of graft-type copolymers with hydrophilic–hydrophobic microphase-separated structure, 787

Urea cycle enzymes, immobilization of, 753, 755

Wound-covering materials, 489

Journal of BIOMEDICAL MATERIALS Research

VOLUME 11 • 1977

Editor-in-Chief

Sumner N. Levine

Stony Brook, Long Island, New York

Advisory Editorial Board

Harlan C. Amstutz, *New York, N. Y.*
John Autian, *Memphis, Tenn.*
Silas Braley, *Midland, Mich.*
Stephen D. Bruck, *Bethesda, Md.*
Julio C. Davila, *Philadelphia, Pa.*
Richard D. Falb, *Columbus, Ohio*
Pierre Galletti, *Atlanta, Ga.*
Vincent L. Gott, *Baltimore, Md.*
Harry P. Gregor, *New York, N. Y.*
N. D. Greene, *Storrs, Conn.*
C. William Hall, *Houston, Tex.*
B. David Halpern, *Bethayres, Pa.*
L. L. Hench, *Gainesville, Fla.*
Samuel F. Hulbert, *New Orleans, La.*
Adrian Kantrowitz, *Brooklyn, N. Y.*
J. Lawrence Katz, *Troy, N. Y.*
W. J. Kolff, *Salt Lake City, Utah*
Patrick Laing, *Pittsburgh, Pa.*
Edward F. Leonard, *New York, N. Y.*
Fred Leonard, *Washington, D. C.*
Donald Lyman, *Menlo Park, Calif.*
Edward W. Merrill, *Cambridge, Mass.*
Yukihiko Nosé, *Cleveland, Ohio*
H. L. Nossel, *New York, N. Y.*
Floyd A. Peyton, *Ann Arbor, Mich.*
R. W. Phillips, *Indianapolis, Ind.*
Will R. Pierie, *Santa Ana, Calif.*
Edward I. Salkovitz, *Pittsburgh, Pa.*
Edwin W. Salzman, *Cambridge, Mass.*
P. N. Sawyer, *Brooklyn, N. Y.*
Robert Stromberg, *Silver Springs, Md.*
Sigmund Wesolowski, *Rockville Centre, N. Y.*
O. Wichterle, *Prague*
H. G. F. Wilsdorf, *Charlottesville, Va.*
Stephen C. Woodward, *Washington, D. C.*

an Interscience® Publication

published by **JOHN WILEY & SONS** • NEW YORK • LONDON • SYDNEY • TORONTO

Copyright © 1977 by John Wiley & Sons, Inc.

Published bimonthly, one volume per year, by John Wiley & Sons, Inc. Copyright © 1977 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016. All rights reserved. No part of this publication may be reproduced by any means, or transmitted, or translated into a machine language without the written permission of the publisher. Second class postage paid at New York, New York, and at additional mailing offices.

Subscription price (1978): $104.00 per volume. Postage and handling outside U.S.A.: $9.00. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Manuscripts should be submitted in duplicate to Dr. Sumner N. Levine, Editorial Office, Journal of Biomedical Materials Research, College of Engineering, State University of New York, Stony Brook, Long Island, New York 11790. Address all other correspondence to Journals Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, N.Y. 10016.

Journal of Biomedical Materials Research

CONTENTS

Volume 11, 1977

ISSUE NO. 1, JANUARY

Biomedical Materials Symposium No. 8
"Biological Interactions at Polymer Surfaces"
H. Yasude and V. T. Stannett, Eds.

S. D. BRUCK: Interactions of Synthetic and Natural Surfaces with Blood in the Physiological Environment 1

S. W. KIM, S. WISNIEWSKI, E. S. LEE, and M. L. WINN: Role of Protein and Fatty Acid Adsorption on Platelet Adhesion and Aggregation at the Blood-Polymer Interface 23

W. H. GRANT, L. E. SMITH, and R. R. STROMBERG: Radiotracer Techniques for Protein Adsorption Measurements 33

P. L. KRONICK and A. REMBAUM: Reactions of Human Platelets with Microspheres of Poly(hydroxymethyl Methacrylate) and Polyacrylamide 39

E. NYILAS, W. A. MORTON, R. D. CUMMING, D. M. LEDERMAN, and T.-H. CHIU: Effects of Polymer Surface Molecular Structure and Force-Field Characteristics on Blood Interfacial Phenomena. I 51

E. NYILAS and R. S. WARD, JR.: Development of Blood-Compatible Elastomers. V. Surface Structure and Blood Compatibility of Avcothane Elastomers ... 69

Y. NOSÉ, R. J. KIRALY, and G. PICHA: Surface Characteristics of Cardiac Prostheses *in vivo* 85

A. REMBAUM, A. E. SENYEI, and R. RAJARAMAN: Interaction of Living Cells with Polyionenes and Polyionene-Coated Surfaces 101

S. VENKATARAMAN, T. A. HORBETT, and A. S. HOFFMAN: The Reactivity of α-Chymotrypsin Immobilized on Radiation-Grafted Hydrogen Surfaces 111

L. S. OLANOFF, K. VENKATASUBRAMANIAN, F. R. BERNATH, and R. JOYEUSE: Perfusion Trails with a Collagen-Immobilized Enzyme in an Extracorporeal Reactor: Activity, Stability, and Biocompatibility 125

C. HUANG and I. V. YANNAS: Mechanochemical Studies of Enzymatic Degradation of Insoluble Collagen Fibers 137

AUTHOR INDEX 155

ANNOUNCEMENT 156

ISSUE NO. 2, MARCH

H.-G. WILLERT and M. SEMLITSCH: Reactions of the Articular Capsule to Wear Products of Artificial Joint Prostheses 157

R. T. CHIROFF, R. A. WHITE, E. W. WHITE, J. N. WEBER, and D. ROY: The Restoration of Articular Surfaces Overlying Replamineform Porous Biomaterials 165

H. U. CAMERON, I. MACNAB, and R. M. PILLIAR: Evaluation of a Biodegradable Ceramic 179

M. LAOR, I. GEDALIA, A. SIMKIN, Z. YOSIPOVITCH, and M. ARCAN: Effect of Fluoride on the Stabilization of Metal Implants in the Femur of Rabbits 187

G. E. LOEB, A. E. WALKER, S. UEMATSU, and B. W. KONIGSMARK: Histological Reaction to Various Conductive and Dielectric Films Chronically Implanted in the Subdural Space 195

A. M. RIJKE, R. A. JOHNSON, and E. R. OSER: On the Fate of Methyl Methyacrylate in Blood 211

V. P. TORCHILIN, E. G. TISCHENKO, V. N. SMIRNOV, and E. I. CHAZOV: Immobilization of Enzymes on Slowly Soluble Carriers 223

S. I. STUPP, J. W. KAUFFMAN, and S. H. CARR: Interactions between Segmented Polyurethane Surfaces and the Plasma Protein Fibrinogen 237

H. MIYAMA, N. HARUMIYA, Y. MORI, and H. TANZAWA: A New Antithrombogenic Heparinized Polymer 251

L. L. HENCH, C. G. PANTANO, JR., P. J. BUSCEMI and D. C. GREENSPAN: Analysis of Bioglass Fixation of Hip Prostheses 267

D. LABARRE, M. JOZEFOWICZ, and M. C. BOFFA: Properties of Heparin-Poly-(methyl Methacrylate) Copolymers. II 283

M. CHVAPIL, J. A. OWEN, D. S. CLARK, S. KOORAJIAN, and A. P. GOODMAN: Effect of Collagen Crosslinking on the Rate of Resorption of Implanted Collagen Tubing in Rabbits 297

ANNOUNCEMENTS 315

ISSUE NO. 3, MAY

G. A. BOFFA, N. LUCIEN, A. FAURE, M. C. BOFFA, J. JOZEFONVICZ, A. SZUBARGA, P. MANDON, and M. J. LARRIEU: Polytetrafluoroethylene–*N*-Vinylpyrrolidone Graft Copolymers: Affinity with Plasma Proteins 317

M. M. A. VRIJHOEF and S. J. JENSEN: Influence of the Heat Treatment of Commercial Amalgam Alloys on the Phase Composition of the Alloys and the Creep of the Resulting Amalgams 339

G. F. KLOMP, M. V. B. WOMACK, and W. H. DOBELLE: Fabrication of Large Arrays of Cortical Electrodes for Use in Man 347

W. W. KAY, E. KURYLO, G. CHONG, and B. BHARADWAJ: Inhibition and Enhancement of Platelet Aggregation by Collagen Derivatives 365

A. M. RIJKE, M. R. RIEGER, R. E. MCLAUGHLIN, and S. MCCOY: Porous Acrylic Cement 373

N. NAKABAYASHI, S. HAYATA, and E. MASUHARA: Studies on Dental Self-Curing Resins. XV. Application of Nitrene to Reactive Adhesive with a Tooth 395

K. W. MARCK, CH. R. H. WILDEVUUR, W. L. SEDEREL, A. BANTJES, and J. FEIJEN: Biodegradability and Tissue Reaction of Random Copolymers of L-Leucine, L-Aspartic Acid, and L-Aspartic Acid Esters 405

N. A. PEPPAS and E. W. MERRILL: Development of Semicrystalline Poly(vinyl Alcohol) Hydrogels for Biomedical Applications 423

H. S. SHIM: The Strength of LTI Carbon Dental Implants 435

A. J. LEWIS: Porosity in the Base Metal Removable Partial Denture Casting Alloys Relative to Observable Metallographic Features 447

INFORMATION FOR CONTRIBUTORS 459

ISSUE NO. 4, JULY

K. E. SALYER, D. F. JOHNS, R. E. HOLMES, and J. G. LAYTON: Evolution of the Mandibular Mesh Implant 461

T. KOLOBOW, T. A. TOMLINSON, and J. E. PIERCE: Blood Compatibility of Methyl, Methyl Vinyl, Methyl Phenyl, and Trifluoropropylmethylvinyl Silicone Rubber without Silica Fillers in the Spiral-Coiled Membrane Lung 471

L. B. JOHNSON and A. C. CARWILE: Progress in Splat-Cooling of Dental Alloys 483

A. D. SCHWOPE, D. L. WISE, K. W. SELL, D. P. DRESSLER, and W. A. SKORNICK: Evaluation of Wound-Covering Materials 489

A. CIGADA, B. MAZZA, P. PEDEFERRI, and D. SINIGAGLIA: Influence of Cold Plastic Deformation on Critical Pitting Potential of AISI 316 L and 304 L Steels in an Artificial Physiological Solution Simulating the Aggressiveness of the Human Body 503

J. C. ROBERTS, J. M. POWERS, and R. G. CRAIG: Wear of Dental Amalgam .. 513

F. C. WEDLER: Analysis of Biomaterials Deposited on Soft Contact Lenses 525

M. SEMLITSCH, M. LEHMANN, H. WEBBER, E. DOERRE, and H. G. WILLERT: New Prospects for a Prolonged Functional Life-Span of Artificial Hip Joints by Using the Material Combination Polyethylene/Aluminum Oxide Ceramic/Metal 537

D. L. LEVINE and R. W. STAEHLE: Crevice Corrosion in Orthopedic Implant Metals 553

A. N. MOLLISON and W. F. GRAYDON: Cellulosic Ion-Exchange Membranes for Hemodialysis 563

G. M. BRAUER, D. J. TERMINI, and G. DICKSON: Analysis of the Ingredients and Determination of the Residual Components of Acrylic Bone Cements 577

T. A. FREITAG and S. L. CANNON: Fracture Characteristics of Acrylic Bone Cements. II. Fatigue 609

NOTES

J. W. PUGH and W. L. JAFFE: Clinically Observed Corrosion of Surface Defects of Wires 625

C. L. REYNOLDS, JR. and F. E. WAWNER: Experimental Observations on the Corrosion of Ag_3Sn Amalgams 629

H. M. ROOTARE and J. M. POWERS: Preparation of Ag/AgCl Electrodes 633

ISSUE NO. 5, SEPTEMBER

P. F. JOHNSON, J. J. BERNSTEIN, G. HUNTER, W. W. DAWSON, and L. L. HENCH: An *in vitro* and *in vivo* Analysis of Anodized Tantalum Capacitive Electrodes: Corrosion Response, Physiology, and Histology 637

A. CAPPOZZO, L. CINI, A. PIZZOFERRATO, C. TRENTANI, and S. S. CORTESI: Evaluation of Hip Arthroprostheses by Means of Body Environment Simulators 657

H. B. LEE and D. T. TURNER: Temperature Control of a Bone Cement by Addition of a Crystalline Monomer 671

S. R. POLLACK, E. KOROSTOFF, M. E. STERNBERG, and J. KOH: Stress-Generated Potentials in Bone: Effects of Collagen Modifications 677

K. J. ANUSAVICE, R. D. RINGLE, and C. W. FAIRHURST: Bonding Mechanism Evidence in a Ceramic-Nonprecious Alloy System 701

R. A. MILLER, J. M. BRADY, and D. E. CUTRIGHT: Degradation Rates of Oral Resorbable Implants (Polylactates and Polyglycolates): Rate Modification with Changes in PLA/PGA Copolymer Ratios 711

M. CHVAPIL: Collagen Sponge: Theory and Practice of Medical Applications 721

Y. MIURA, K. MIYAMOTO, J. M. RAZE, and H. URABE: Immobilization of Urea Cycle Enzymes. I. Characterization of Immobilized Carbamoylphosphate Synthetase and Ornithine Carbamoyltransferase 743

Y. MIURA, K. MIYAMOTO, H. URABE, C. NAGATA, and Y. HANE: Immobilization of Urea Cycle Enzymes. II. Characterization of Immobilized Argininosuccinate Synthetase 755

P. PREDECKI, P. A. RUSSELL, and M. M. NEWMAN: Blood-Compatible Materials by Fluid Perfusion 767

T. NAKASHIMA, K. TAKAKURA, and Y. KOMOTO: Thromboresistance of Graft-Type Copolymers with Hydrophilic-Hydrophobic Microphase-Separated Structure 787

ISSUE NO. 6, NOVEMBER

I. TAPASZTÓ and G. KERÉNYI: Skin Replacement with Bioplast Fibrin in Ophthalmology 799

P. DUCHEYNE, P. DE MEESTER, E. AERNOUDT, M. MARTENS, and J. C. MULIER: Influence of a Functional Dynamic Loading on Bone Ingrowth into Surface Pores of Orthopedic Implants 811

T. RAE: Tolerance of Mouse Macrophages *in vitro* to Barium Sulfate used in Orthopedic Bone Cement 839

J. J. KMETZO, T. P. STEIN, and H. W. WALLACE: Human Platelet and Fluorochemical Interaction 847

S. C. BAYNE, E. P. LAUTENSCHLAGER, E. H. GREENER, and P. R. MEYER, JR.: Clinical Influences on Bone Cement Monomer Release 859

E. J. KAMINSKI, M. W. SHENK, and R. J. OGLESBY: Presence of Adipose Fat as a Criterion of Implant Compatibility 871

G. R. FERNIE, J. P. KOSTUIK, R. J. LOBB, R. M. PILLIAR, E. WONG, and A. G. BINNINGTON: A Percutaneous Implant Using a Porous Metal Surface. Coating for Adhesion to Bone and a Velour Covering for Soft Tissue Attachment: Results of Trials in Pigs 883

M. HODOSH, G. SHKLAR, and M. POVAR: A Polymethacrylate-Silica Composite Material for Dental Implants 893

O. MOISE, S. SIDEMAN, E. HOFFER, I. ROUSSEAU, and O. S. BETTER: Membrane Permeability for Inorganic Phosphate Ion 903

R. W. WATKINS and C. R. ROBERTSON: A Total Internal-Reflection Technique for the Examination of Protein Adsorption 915

R. D. BAGNALL: An Approach to the Soft Tissue/Synthetic Material Interface 939

R. D. BAGNALL: Adsorption of Plasma Proteins on Hydrophobic Surfaces. I. Albumin and γ-Globulin 947

AUTHOR INDEX 979

SUBJECT INDEX 985

VOLUME TITLE PAGE i

VOLUME CONTENTS iii